

RVM suppliers - contacts and certified RVM models

The companies listed in the following table are companies recognised by SDR Portugal for the supply of certified RVM models, as well as the support services associated with their installation and operation, in accordance with the requirements established for the proper functioning of the SDR. SDR Portugal regularly evaluates the services provided by these companies.

Contact details of RVM suppliers accredited by SDR Portugal

Company	Contact Person	Job title	Telephone	Email address	Website
ENVIPCO PORTUGAL Zona Industrial do Batel Rua dos Jasmins 417 2890-189 Alcochete 	Marco Santos	Business Development Manager Portugal	+351 911 881 884	marco.santos@envipco.com portugal@envipco.com	www.envipco.com
RVM SYSTEMS PORTUGAL Centro Empresarial Sinta/Estoril Avenida Pedro Alvares Cabral nº 69, Armazém E33 2710-144 Sintra 	Tomás Palma	Country Manager Portugal	+351 913 119 254	tomas.palma@rvmsystems.com	www.rvmsystems.pt
SIELAFF Portugal Av. Monte Penedo, nº. 64 4475-364, Maia 	João Gagliardini Graça	Country Manager Portugal	+351 910 021 924	joao.graca@sielaff.pt	www.sielaff.com
TOMRA Collection Portugal Rua Mira Parque, 1 2655-482 Ericeira 	Paulo Borges	Sales Director	+351 261 131 010	paulo.borges@tomra.com	www.tomra.pt

This document is only valid in the digital version available at SDRPortugal.pt. If you choose to read a printed or saved version, make sure it corresponds to the most up-to-date version available online.






Access to this document is restricted and subject to express authorisation by SDRPortugal.pt. Its contents may not be disclosed to third parties.






Certified RVM models - ENVIPCO PORTUGAL





Make	Model	Installation ⁱ	Capacity (un/min)	Cabins ⁱⁱ (number and type)	Containers ⁱⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^{iv}	Comments
ENVIPCO	Compact	Standalone	12	1 x ½ "EuP"	1 x ½ "EuP" (0.53x0.61x0.90, 295lt)	Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} CE Declaration (Pt) ^{viii} Maintenance Plan ^{ix} Accessibility Statement*	
ENVIPCO	Flex	Standalone	45	1 x ½ "EuP"	1 x ½ "EuP" (0.51x0.80x0.67, 280lt)	PET CANS Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	
ENVIPCO	Ultra	Standalone	45	1 x 1 "EuP"	1 x 1 "EuP" (0.71x0.97x0.79, 550lt)	Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	
ENVIPCO	Optima	Standalone	45	1 x 1 ½ "EuP"	3 x ½ "EuP" (0.41x0.97x1.00, 420lt)	PET CANS Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	
ENVIPCO	HDS	Standalone	45	2 x 1 "EuP"	2 x 1 "EuP" (0.80x1.20x0.95, 920lt)	PET CANS Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	




Make	Model	Installation ⁱ	Capacity (un/min)	Cabins ⁱⁱ (number and type)	Containers ⁱⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^{iv}	Comments
ENVIPCO	Modula	Modular	60	1 to 8 x 1 "EuP"	2 to 8 x 1 "EuP" (0.80x1.20x0.95, 920lt) or 2 to 8 x 2 x ½ "EuP" (0.40x1.20x0.95, 460lt)	PET CANS Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	
ENVIPCO	Quantum Indoor	Modular (Bulk)	120	2 x 1 "EuP"	2 x 1 "EuP" (0.80x1.20x0.95, 920lt)	PET CANS Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} CE Declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	
ENVIPCO	Quantum Outdoor	Modular (Bulk) (Outdoor)	120	8 x 1 "EuP"	8 x 1 "EuP" (0.80x1.20x0.95, 920lt)	PET CANS Mixed (double rammer for PET and CANS)	Technical brochure ^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{(i) (x)} Accessibility Statement*	

Certified RVM models - RVM SYSTEMS PORTUGAL

Make	Model	Installation ⁱ	Capacity (un/min)	Cabins ⁱⁱ (number and type)	Containers ⁱⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^{iv}	Remarks
RVM SYSTEMS	RVM X2 	Standalone	50	1 x ½"EuP"	1 x ½ "EuP" (800x600x720,500lt) or 2 x ¼ "EuP" (400x600x720,500lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"
RVM SYSTEMS	RVM X3 	Standalone	50	2 x ½"EuP"	1 x ½ "EuP" (800x600x720, 500lt) + ½ "EuP" (reut.) or 2 x ¼ "EuP" (400x600x720, 500lt) + ½ "EuP" (reut.)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Accepts reusable packaging (not compacted) Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"
RVM SYSTEMS	RVM X10 	Standalone	50	1 x ½"EuP"	1 x ½ "EuP" (800x600x720, 500lt)	PET CAN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"
RVM SYSTEMS	RVM X20 	Standalone	50	1 x 1"EuP"	1 x 1"EuP" (1200x800x720,1000lt) or 2 x ½ "EuP" (800x600x720, 500lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"
RVM SYSTEMS	RVM X30 	Standalone	50	1 x 1"EuP" 1 x ½"EuP"	1 x 1"EuP" (1200x800x720,1000lt) + ½ "EuP" (reusable) or 2 x ½ "EuP" (800x600x720, 500lt) + ½ "EuP" (reusable)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Accepts reusable packaging (not compacted) Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"

Make	Model	Installation ⁱ	Capacity (un/min)	Cabins ⁱⁱ (number and type)	Containers ⁱⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^{iv}	Remarks
RVM SYSTEMS	RVM Extend 100 	Standalone	60	1 x 1"EuP"	1 x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear
RVM SYSTEMS	RVM Extend 200 	Standalone	60	2 x 1 "EuP"	2 x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear
RVM SYSTEMS	RVM Proline X (1 Front - Single) 	Modular	60	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Opening the cabinets: - To the left - To the right. Two types of cabinets: - Standard - Slim last (ninth) soft drop container or crate
RVM SYSTEMS	RVM Proline X Duo (2 Fronts - Single) 	Modular	2 x 60	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Opening the cabinets: - To the left - To the right. last (ninth) soft drop or crate container
RVM SYSTEMS	RVM MEGA with ProLine+ (Bulk Feed + 1 Single Front) 	Modular (Bulk)	100	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Opening the cabinets: - To the left - To the right. Two types of cabinets: - Standard - Slim last (ninth) soft drop container or crate

Make	Model	Installation ⁱ	Capacity (un/min)	Cabins ⁱⁱ (number and type)	Containers ⁱⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^{iv}	Remarks
RVM SYSTEMS	RVM Proline XC (1 Front - Single 2 Fronts - Duo) 	Modular	60	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Accepts bottle crates and reusable packaging Cabinets open: - To the left - To the right. Two types of cabinets: - Standard - Slim Last (ninth) container in soft drop or crate Backpack option
RVM SYSTEMS	RVM Proline XD (1 Front - Single 2 Fronts - Duo) 	Modular	60	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Lower front height to ensure greater accessibility. Cabinets open: - To the left - To the right. Two types of cabinets: - Standard - Slim last (ninth) soft drop container or crate
RVM SYSTEMS	RVM X2 (Outdoor) 	Standalone (Outdoor)	50	1 x 1/2"EuP"	1 x 1/2"EuP" (800x600x720,500lt) or 2 x 1/4"EuP" (400x600x720,500lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"
RVM SYSTEMS	RVM X20 (Outdoor) 	Standalone (Outdoor)	50	1 x 1"EuP"	1 x 1"EuP" (1200x800x720,1000lt) or 2 x 1/2"EuP" (800x600x720, 500lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl designs Manual (Pt) EC Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear Two types of screen: - 10,4" - 20,5"

Make	Model	Installation ⁱ	Capacity (un/min)	Cabins ⁱⁱ (number and type)	Containers ⁱⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^{iv}	Remarks
RVM SYSTEMS	RVM Extend 200 (Outdoor) 	Standalone (Outdoor)	60	2 x 1 "EuP"	2 x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX CAN & PET	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Two types of opening: - Front - Rear
RVM SYSTEMS	RVM Proline X or DUO (Outdoor) 	Modular (Outdoor)	60 (1x Front) 2 x 60 (2x Fronts)	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Opening the cabinets: - To the left - To the right. Last (ninth) container in soft drop or crate
RVM SYSTEMS	RVM MEGA (Outdoor) 	Modular (Bulk) (Outdoor)	100	(1 to 8) x 1"EuP"	(1 to 8) x 1"EuP" (1200x800x720,1000lt)	PET CAN MIX	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	Opening the cabinets: - To the left - To the right. Two types of cabinets: - Standard - Slim last (ninth) soft drop container or crate

Certified RVM models - SIELAFF

Brand	Model	Installation	Capacity (un/min)	Cabins ⁱ (number and type)	Containers ⁱⁱ (number and WxDxH / V(lt))	Types of Compactor	Documentation ^v	Observations
SIELAFF	SiCompact ECO	Standalone	50	1 for dedicated wheeled bin	1 x Dedicated wheelie bin (800*850*730, 496lt)	SafeCrush SafeCrush - "CAN optimised" Multicrusher	Technical brochure^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{ix} Accessibility Statement ^x	
SIELAFF	SiCompact 2020	Standalone	60	1 x 1 "EuP" 2 x ½ "EuP"	1 x 1 "EuP" (1200*800*800, 768lt) 2 x ½ "EuP" (600x800x800, 384lt)	SafeCrush SafeCrush - "CAN optimised" Multicrusher	Technical brochure^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{ix} Accessibility Statement ^x	
SIELAFF	SiCompact 2020 XL	Standalone	60	2 x 1 "EuP"	2 x 1 "EuP" (1200*800*700, 768lt)	SafeCrush SafeCrush - "CAN optimised" Multicrusher	Technical brochure^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{ix} Accessibility Statement ^x	
SIELAFF	SiVario MonSort	Modular	60	2 to 5 EuP cabins	2 to 5 x 1 "EuP" (1200*800*700, 768lt)	SafeCrush SafeCrush - "CAN optimised" Multicrusher	Technical brochure^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{ix} Accessibility Statement ^x	
SIELAFF	SiVario DualSort	Modular	120	2 to 7 EuP cabins	2 to 7 x 1 "EuP" (1200*800*700, 768lt)	SafeCrush SafeCrush - "CAN optimised" Multicrusher	Technical brochure^v Vinyl drawings ^{vi} Manual (Pt) ^{vii} EC declaration (Pt) ^{viii} Maintenance Plan ^{ix} Accessibility Statement ^x	

Certified RVM models - TOMRA Collection Portugal

Make	Model	Installation	Capacity (un/min)	Cabins (number and type)	Containers (number and WxDxH / V(lt))	Types of Compactor	Documentation	Comments
TOMRA	S1	Standalone (outdoor)	Up to 45	1 x ½ "EuP"	1 x ½ "EuP" (910x710x890, 575lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	S2	Standalone (outdoor)	Up to 45	2 x 1 EuP	2 x 1 "EuP" (120x80x90, 825lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	New product, launch planned for 2nd quarter 2025.
TOMRA	M1	Standalone	Up to 17	1 x ½ EuP	1 x ½ "EuP" (900x540x600, 292lt)	Mixed PET TIN	Technical brochure Vinyl designs Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	B5 Combi	Standalone	Up to 40	1 x ½ EuP	1 x (800x750x800, 480lt) or 1 x (800x250x800, 160lt) + 1 x (800x500x800, 320lt)	Mixed	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	T70 Single	Standalone	Up to 45	1 x ½ "EuP"	1 x ½ "EuP" (930x710x900, 594lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	T70 Dual	Standalone	Up to 45	1 x1 "EuP"	1 x1 "EuP" (120x80x100, 960lt) 2 x ½ EuP (60x80x100, 480lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	

Make	Model	Installation	Capacity (un/min)	Cabins (number and type)	Containers (number and WxDxH / V(lt))	Types of Compactor	Documentation	Comments
TOMRA	T70 Trisort	Standalone	Up to 45	2 x (1+½) "EuP" + <i>SoftDrop</i>	2 x ½ "EuP" (60x80x100, 480lt) + <i>SoftDrop</i> (800x500x1010 404lt)	Mixed PET LATA	Technical brochure Vinyl designs Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	T90	Standalone	Up to 45	2 x 1 EuP	1 x1 "EuP" (120x80x100, 960lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	T9 Multipac	Modular	Up to 60	2 to 7 x 1 "EuP"	1 "EuP" (120x80x100, 960lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	T9 EasyPac	Modular	Up to 60	2 to 6 x 1 "EuP"	1 "EuP" (120x80x100, 960lt)	Mixed PET TIN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	R1	Modular	Up to 120	2 to 7 x 1 "EuP"	1 "EuP" (120x80x100, 960lt) 2x1/2 "EuP" (60x80x100,, 480lt)	Mixed PET CAN	Technical brochure Vinyl drawings Manual (Pt) EC Declaration (Pt) Maintenance Plan Accessibility Statement	
TOMRA	R2	Modular	Up to 100	2 to 4 x 1 "EuP"	1 "EuP" (120x80x100, 960lt) 2x1/2 "EuP" (60x80x100, 480lt)	Mixed PET CAN	Technical brochure Vinyl drawings Manual (Pt) CE Declaration (Pt) Maintenance Plan Accessibility Statement	

ⁱ Standalone, Modular, Modular (Bulk), Modular (Outdoor), Modular (Bulk)(Outdoor), Standalone (Outdoor).

ⁱⁱ Identify the number and type of cabins according to the size equivalent to the area of 1 europallet: 1"EuP" 1200x800mm, ½"EuP" 800x600mm) - e.g. 1x½"EuP", 2x1"EuP", 8x1"EuP".

ⁱⁱⁱ For each available combination, identify the number and type of containers in terms of the approximate size equivalent to the area of 1 europallet - e.g. 1x½"EuP", 2x1"EuP", 2x2x½"EuP", 8x1"EuP", 8x2x½"EuP".

^{iv} **Documents to be made available** (and kept permanently updated) by the RVM Supplier:

^v *Technical brochure* summarising the most relevant data.

^{vi} *Drawings* to support the layout for decorating the machines in vinyl.

^{vii} *User manual* in accordance with the legislation in force (in Portuguese) - [Decree-Law 103/2008](#) of 24 June, in its current wording, transposing Directive 2006/42/EC, which lays down rules on the placing on the market and putting into service of machinery and its accessories.

^{viii} *EC Declaration of Conformity* in accordance with the legislation in force (must be in Portuguese) - [Decree-Law 103/2008](#) of 24 June, in its current wording, transposing Directive 2006/42/EC, which lays down rules for the placing on the market and putting into service of machinery and its accessories.

^{ix} *Maintenance plan* recommended by the manufacturer.

^x Accessibility requirements:

- *Declaration on accessibility standards* based on the legislation in force - [Decree-Law no. 82/2022](#) of 6 December, which transposes Directive (EU) 2019/882 on the accessibility requirements for products and services.

- **If the legislation on accessibility standards does not apply**, a *manufacturer's declaration* must be submitted summarising the measures relating to good accessibility practices for RVM models certified for the national market, identifying the measures already integrated or that can be provided optionally.